



MANUFACTURING BUILDING
8023 Vantage Drive
San Antonio, TX 78230

FAX COVER SHEET

CONFIDENTIALITY NOTICE: The documents accompanying this telecopy transmission contain confidential information which is legally privileged. The information is intended only for the use of the recipient named below. If you have received this telecopy in error, please immediately notify us by telephone, to arrange for return of the original documents to us, and you are hereby notified that any disclosure, copying distribution, or the taking of any action in reliance on the contents of this telecopied information is strictly prohibited.

Date: 28 June 2005

No. of Pages: 22

TO: Examiner Michael Bogart
FAX: 571 273 4933

COMPANY: USPTO

FROM: R.W. Mason
FAX: 210 255 6969

DEPARTMENT: Legal
PHONE: 210 255 6271

Re: Serial No. 09/544,399
Confirmation No. 8788

Dear Examiner Bogart:

Attached please find a communication responding to your comments attached to the Notice of Allowability dated 06/24/05.

Please contact me if you require any additional information.

Respectfully submitted,

Robert W. Mason
Robert W. Mason
Reg. No. 42,848

I:\nft\Chesel\Fax Cover Sheets\USPTO Fax Cover Sheets\BOGART FAX.doc

Mailing:
P.O. Box 659508
San Antonio, Texas 78265-9508
1-800-531-5369/Fax 210-255-4450

Corporate:
8023 Vantage Drive
San Antonio, Texas 78230-4726
(210) 524-9000

Manufacturing:
4958 Stout Drive
San Antonio, Texas 78219-4334
(210) 662-0215

PATENT**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application No. : 09/544,399 Confirmation No. 8788
Inventor : JOHNSON, Royce W.
Filed : 04/06/2000
Group Art Unit : 3761
Examiner : Bogart, Michael G.
Docket No. : VAC.561.US
Customer No. : 30159
Title: : NEGATIVE PRESSURE WOUND THERAPY PAD WITH ADAPTATION
FOR PHOTOTHERAPY

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF TRANSMISSION 37 C.F.R. § 1.8

I hereby certify that this correspondence is being faxed to
571 272 4933, on the date indicated below:

29 June 2005
Date


Robert W. Mason


COMMUNICATION TO EXAMINER
RESPONSE TO EXAMINER'S COMMENTS DATED 06/24/05

Dear Examiner Bogart:

Per Examiner's request, Applicant herewith submits a copy of the incorrectly listed reference in the IDS dated 11 April 2005. The reference WO 97/13793 should be listed as WO 99/13793. Applicant respectfully requests Examiner's review and consideration of this reference as if it were submitted with the IDS dated 11 April 2005, and further requests that the corrected reference be included in the "Cited References" listing on the issued patent.

Applicant believes this application is now in order for issuance. If examiner should have any additional questions, please contact the undersigned via telephone to promptly resolve this issue.

Respectfully submitted,


Robert W. Mason
Reg. No. 42,848
Attorney for the Applicant

TEL: (210) 255-6271
FAX: (210) 255-6969